

CASE STUDY COMPARISON CLIENT #1 (ALZBETTER) AND CLIENT #2 (NON-ALZBETTER)

CLIENT #1: (ALZBETTER)

This study is for a 92-year-old male client (referred to here as Client #1) living with dementia of the Alzheimer's type for the past four years. Client has been married for 58 years; his wife was his primary caregiver until he was hospitalized with CVA in October 2014. He has five children with two daughters being his emergency contacts. Aside from his spouse, the children are very supportive. Client is a "2" on the AlzBetter scale.

DIAGNOSIS

Client has hypertension, ambulatory dysfunction, borderline DM, CVA, rt. side weakness, enlarged prostate; 2L O2 continuously.

HISTORY OF SYMPTOMS AND PROBLEMS

Suspicion, confusion, anger, poor judgment, forgetfulness; chronic fatigue, wandering, violent outbursts and falls

PLAN

Client currently has homecare assistance 24/7 utilizing the AlzBetter program. An individualized activity plan was created providing a structured routine, Essential, Productive, Enjoyment, Wellness and Recuperative activities. Ideally, these activities will limit the amount of napping client was doing as well as assist in providing a meaningful day. For example: Essential activities such as ADLs must be provided daily, therefore our caregivers are provided with training to properly handle negative behaviors when necessary. Puzzles (12 pc.) were provided with the goal of initiating conversation. Client enjoys counting and separating coins, building things, assisting in putting his train set together. He may assist in folding clothes, playing bingo, cards (War), board games with supportive family members, reminiscing while looking at family photos. The activity plan is reviewed and updated monthly or as needed.

OUTCOMES/CURRENT STATUS

Client has responded positively to AlzBetter activities; his family members are pleased with the positive outcome, providing much relief to his spouse. The trained caregiver communicates regularly with the care manager regarding client's responses to scheduled activities. If a problematic behavior is noted, the care manager is able to assess and evaluate what may have triggered response, and revise the activity plan accordingly.



CLIENT #2: (NON ALZBETTER)

Client #2 is a similar client and is an 89-year-old male. He is suffering from Alzheimer's and has been so for the past five years. Client's primary caregiver is his daughter who lives across the street. His daughter works full time and supplemented her care with a paid caregiver for 40 hours per week. His wife also lives with him, however, she is not capable nor responsible for any of his care needs. Client #2 is also a "2" on the AlzBetter scale.

DIAGNOSIS

Client #2 was not on the AlzBetter program nor were his caregivers trained in this system. He would wander when left unattended and had four unique instances where the police had to be notified to help locate him. Client also had violent outbursts and would yell, scream and threaten his family members when he was highly agitated. It was these outbursts that eventually led to him being removed from the home setting and ultimately placed in a skilled nursing facility.

HISTORY OF SYMPTOMS AND PROBLEMS


Prior to being placed in the skilled nursing facility because of his outbursts, Client #2 had three trips to the emergency room (ER). Two visits were for an infected wound in his genital area, and one visit was for a fall he had while wandering.

PLAN


The family's initial plan was to hire a private home care agency to supplement the daughter's caregiving efforts.

OUTCOMES/CURRENT STATUS

The graph below is a comparison between individuals based over a four-month period of time:



CLIENT #1 BEFORE & AFTER ALZBETTER PROGRAM WAS INTRODUCED



MEDICATION PROFILE FOR CLIENT #1 (NO KNOWN ALLERGIES)

	DOSAGE	ROUTE	
Seroquel	25mg	PO	q12
Pravachol	4mg	РО	qhs
Aricept	10mg	PO	daily
Lexapro	10mg	PO	daily
Proscar	5mg	РО	daily
Synthroid	.125g	РО	daily
Omeprazole	20mg	PO	daily
Flomax	0.4mg	РО	qhs
Lisinopril	2.5mg	PO	daily
ASA (asprin)	81mg	РО	daily
Colace	100mg	PO	2x day
Vitamin B12	1000mg	PO	daily